



Authorised Fuels for England

File created at 23/03/2017 10:13:42

Some of the information provided here has been prepared by Ricardo-AEA Ltd on behalf of the Department for Environment, Food & Rural Affairs (Defra) and for convenience as part of the services Defra offer. No representation, warranty or undertaking (expressed or implied) is made in relation to it. Defra, the Devolved Administrations, Ricardo-AEA Ltd and its contractors cannot accept any liability for the adequacy, reliability, completeness or accuracy of the information or the assumptions on which it is based and accepts no liability to any third party for any loss or damage arising from any interpretation or use of the information or reliance on anything expressed therein.

The information provided here in respect of England and Scotland only, however, constitutes the publication of lists of exemptions and approvals required by statute. Nothing in this disclaimer shall operate to exclude or restrict our liability where such exclusion or restriction would not be permitted by law.

Footnotes

1. Fuels that are not commercially available have been authorised previously and continued to be authorised if manufactured before dates specified in the relevant Statutory instruments.
2. Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.
3. Authorised for use in England by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015
4. Previously authorised by The Smoke Control Areas (Authorised Fuels) (Scotland) Regulations 2014 (SI 2014/317), no longer in force as of 30th June 2014. Now authorised by publication of this list by Scottish Ministers under section 50 of the Regulatory Reform (Scotland) Act 2014.
5. Authorised for use in Scotland by publication of this list by Scottish Ministers under section 50 of the Regulatory Reform (Scotland) Act 2014.

Aimcor Excel briquettes

Manufacturer: Applied Industrial Materials UK Limited at Newfield, County Durham, or manufactured by Oxbow Carbon & Minerals UK Limited, Windsor House, Cornwall Road, Harrogate, North Yorkshire

- a. comprise petroleum coke (as to approximately 60 to 75% of the total weight), low volatile coal and reactive coke (as to approximately 20 to 25% of the total weight) and cold-setting resin binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing
- c. are unmarked pillow-shaped briquettes
- d. have an average weight of 73 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Aimcor Pureheat briquettes

Manufacturer: Applied Industrial Materials UK Limited at Immingham, North East Lincolnshire, or manufactured by Oxbow Carbon & Minerals UK Limited, Windsor House, Cornwall Road, Harrogate, North Yorkshire

- a. comprise anthracite (as to approximately 60% of the total weight), petroleum coke (as to approximately 25% of the total weight) and binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 250°C
- c. are pillow-shaped briquettes with a single line indentation on one side and a double line indentation on the reverse side
- d. have an average weight of 75 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

ALDI Winter Flame Smokeless Fuel

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite (as to approximately 60 to 80% of the total weight), petroleum coke (as to approximately 10 to 30% of the total weight) and a molasses and phosphoric acid binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C
- c. are either unmarked pillow-shaped briquettes or, pillow-shaped briquettes marked with a single indented line running longitudinally along each face, off-set from its counterpart by 10 millimetres
- d. have an average weight of either 55 or 80 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight on a dry basis.

Date first authorised: 01/01/2016

England Status: Authorised (Footnote 3)

Wales Status: Authorised (SI 2016 No. 812)

Scotland Status: Authorised (Footnote 5)

N. Ireland Status: No

Ancit briquettes

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite (as to approximately 60 to 95% of the total weight), petroleum coke (up to approximately 30% of the total weight), bituminous coal (up to approximately 15% of the total weight) and a molasses and phosphoric acid binder or an organic binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C
- c. are unmarked cushion-shaped briquettes
- d. have an average weight of 48 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Big K Fire Log

Manufacturer: Top Flames Europe BV, Rustenburgerweg 3, 1646 WJ Ursem Gem , Alkmaar, The Netherlands

- a. comprise 29% paraffin wax, 20% plant derived wax, 17% 6mm diameter wood pellets and 34% sawdust (by weight)
- b. were manufactured from those constituents by a process of mixing and extruding
- c. are firelogs that are approximately 215 millimetres in length and 75 millimetres in depth, 75 millimetres in height with 6 grooves
- d. have an average weight of 1 kilograms per firelog
- e. have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: 01/11/2016

England Status: Authorised (Footnote 3)

Wales Status: No

Scotland Status: Authorised (Footnote 5)

N. Ireland Status: No

Big K Instant Lighting Fire Logs

Manufacturer: Allspan BV of Macroweg 4, 5804 CL Venray, the Netherlands

- a. comprise slack wax (as to approximately 58 to 59% of the total weight) and hardwood sawdust (as to approximately 41 to 42% of the total weight)
- b. were manufactured from those constituents by a process of heat treatment and extrusion
- c. are firelogs that are approximately 235 millimetres in length and 80 millimetres in depth, with grooves along their faces
- d. have an average weight of 1.1 kilograms per firelog
- e. have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Big K Restaurant Grade Charcoal

Manufacturer: Big K Products UK Limited at Parque Industrial Alvear, 2126 Alvear, Provincia de Santa Fe, Argentina, Argentina

- a. comprises pyrolised white quebracho wood
- b. was manufactured using a kiln pyrolysis process at approximately 450°C
- c. are unmarked charcoal pieces of between 30 millimetres and 150 millimetres
- d. has a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Black Diamond Gem briquettes

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite duff (as to 20 to 30% of the total weight), petroleum coke (as to 40 to 45% of the total weight), bituminous coal (as to 12 to 22% of the total weight) and molasses and phosphoric acid binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C
- c. are pillow-shaped briquettes marked with two parallel indented lines running latitudinally around the briquette
- d. have an average weight of 160 grams per briquette
- e. have a sulphur content not exceeding 1.5% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Bord na Móna Firelogs

Manufacturer: Bord na Móna Fuels Limited of Newbridge, County Kildare, Ireland, Ireland

- a. comprise slack wax (as to approximately 55% of the total weight) and hardwood sawdust (as to approximately 45% of the total weight)
- b. were manufactured from those constituents by a process of heat treatment and extrusion
- c. are firelogs that are approximately 255 millimetres in length and 75 millimetres in diameter, with grooves along one longitudinal face
- d. have an average weight of 1.3 kilograms per firelog
- e. have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Bord na Móna Firepak (also marketed as Arigna Special coal briquettes)

Manufacturer: Bord na Móna Fuels Limited of Newbridge, County Kildare, Ireland, Ireland

- a. comprise anthracite (as to approximately 50% of the total weight), petroleum coke (as to approximately 20 to 40% of the total weight), bituminous coal (as to approximately 10 to 30% of the total weight) and starch based binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment
- c. are unmarked pillow-shaped briquettes
- d. have an average weight of 50 grams per briquette
- e. have a sulphur content not exceeding 1.5% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Brand Choice Fire Log

Manufacturer: Top Flames Europe BV, Rustenburgerweg 3, 1646 WJ Ursem Gem , Alkmaar, The Netherlands

- a. comprise 29% paraffin wax, 20% plant derived wax, 17% 6mm diameter wood pellets and 34% sawdust (by weight)
- b. were manufactured from those constituents by a process of mixing and extruding
- c. are firelogs that are approximately 172 millimetres in length and 75 millimetres in depth, 75 millimetres in height with 6 grooves
- d. have an average weight of 0.8 kilograms per firelog
- e. have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: 01/11/2016

England Status: Authorised (Footnote 3)

Wales Status: No

Scotland Status: Authorised (Footnote 5)

N. Ireland Status: No

Brazier briquettes

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite (as to approximately 60 to 80% of the total weight), petroleum coke (as to approximately 10 to 30% of the total weight) and a molasses and phosphoric acid binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C
- c. are either unmarked pillow-shaped briquettes or, pillow-shaped briquettes marked with a single indented line running longitudinally along each face, off-set from its counterpart by 10 millimetres
- d. have an average weight of either 55 or 80 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight on a dry basis.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2014 No. 249)

Briteflame briquettes

Manufacturer: Maxibrite Limited at Mwyndy Industrial Estate, Llantrisant, Mid Glamorgan, South Wales

- a. comprise bituminous coal (as to approximately 10 to 15% of the total weight), petroleum coke (as to approximately 10 to 15% of the total weight), anthracite duff (as to approximately 70 to 80% of the total weight) and starch binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 260°C
- c. are unmarked pillow-shaped briquettes
- d. have an average weight of 140 grams per briquette
- e. have a sulphur content not exceeding 1.9% sulphur on a dry basis.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Briteheat briquettes (also known as Stoveheat Premium briquettes)

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite (as to approximately 60 to 85% of the total weight), petroleum coke (up to approximately 30% of the total weight), bituminous coal (up to approximately 15% of the total weight) and a molasses and phosphoric acid binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C
- c. are cushion-shaped briquettes with an indented line running longitudinally around the briquette
- d. have an average weight of 30 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

Briteheat Plus briquettes

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite duff (as to approximately 75 to 95% of the total weight), petroleum coke (up to approximately 20% of the total weight) and an organic binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll pressing
- c. are unmarked pillow shaped briquettes
- d. have an average weight of 80 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Bryant and May Firelogs

Manufacturer: Swedish Match at Kostenetz, Bulgaria, Bulgaria

- a. comprise paraffin wax (as to approximately 50% of the total weight), ground poplar wood (as to approximately 25% of the total weight), wheatflour (as to approximately 15% of the total weight), ignitable solids dispersed in gelled paraffin wax (as to approximately 1% of the total weight) and water, swelling agents and preservative (as to the remaining weight)
- b. were manufactured from those constituents by a process involving extrusion
- c. have a quadrant shaped cross section with a radius of approximately 80 millimetres, a length of approximately 265 millimetres and an ignition strip along one edge
- d. have an approximate weight of 1.15 kilograms per firelog
- e. have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

Charglow briquettes

Manufacturer: Polchar Spolka z ograniczona odpowiedzialnoscia of Ulica Kuznicka 1, Police, Zachodniepomorskie, Poland, Poland

- a. comprise bituminous coal char (as to approximately 45 to 95% of the total weight), anthracite (as to approximately 0 to 20% of the total weight), petroleum coke (as to approximately 0 to 20% of the total weight), bituminous coal (as to approximately 0 to 10% of the total weight) and an organic binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 110°C
- c. are unmarked pillow-shaped briquettes
- d. have an average weight of 100 grams per briquette
- e. have a sulphur content not exceeding 1.5% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Coalite

Manufacturer: Coalite Products Limited at Bolsover, near Chesterfield, Derbyshire and at Grimethorpe, South Yorkshire

- a. manufactured using a low temperature carbonisation process.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Coalite Ovals

Manufacturer: Maxibrite Limited at Mwyndy Industrial Estate, Llantrisant, Mid Glamorgan, South Wales

- a. comprise bituminous coal (as to approximately 10 to 15% of the total weight), petroleum coke (as to approximately 70 to 80% of the total weight), and anthracite duff and starch binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 260 °C
- c. are unmarked pillow-shaped briquettes that are approximately 84 millimetres in length, 38 millimetres in width and 62 millimetres in height
- d. have an average weight of 118 grams per briquette
- e. have a sulphur content not exceeding 1.9% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Coke sold as “Sunbrite”, “Monckton Boiler Beans”, “Redcar Coke Nuts (Doubles)” or “Cwm Coke Doubles”.

Manufacturer: (a) Coal Products Limited at Cwm Coking Works, Llantwit Fardre, Pontypridd, Rhondda Cynon Taff, and sold as “Sunbrite”; (b) Monckton Coke & Chemical Company Limited at Royston, near Barnsley, South Yorkshire, and sold as “Sunbrite” or “Monckton Boiler Beans”; (c) Corus UK Limited at Teesside Works, Redcar and sold as “Redcar Coke Nuts (Doubles)”; and (d) Coal Products Limited at Cwm Coking Works, Llantwit Fardre, Pontypridd, Rhondda Cynon Taff and sold as “Cwm Coke Doubles”.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Cosycoke (also marketed as Lionheart Crusader or Sunbrite Plus) and Aimcor Supercoke (also marketed as Supercoke)

Manufacturer: Monckton Coke & Chemical Company Limited at Royston, near Barnsley, South Yorkshire (Cosycoke (also marketed as Lionheart Crusader or Sunbrite Plus)), and M & G Fuels Limited at Hartlepool Docks, Hartlepool (Aimcor Supercoke (also marketed as Supercoke))

- a. comprise sized hard coke (as to approximately 45 to 65% of the total weight) and sized petroleum coke (as to the remaining weight)
- b. were manufactured from those constituents by blending
- c. are unmarked random shapes
- d. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Cosyglo Smokeless briquettes

Manufacturer: Arigna Fuels, Arigna, Carrick-on-Shannon, County Roscommon, Ireland

- a. comprise anthracite (as to approximately 35 to 50% of the total weight), petroleum coke (up to approximately 45% of the total weight), bituminous coal (up to approximately 20% of the total weight) and a starch or other organic binder (up to 5% of the total weight)
- b. are manufactured from those constituents by a process involving roll-pressing and heat treatment at approximately 250°C
- c. are unmarked pillow-shaped briquettes that are approximately 80 millimetres in length, 60 millimetres in width and 40 millimetres in height
- d. have an average weight of 110 grams per briquette
- e. have a sulphur content not exceeding 1.8% of the total weight on a dry basis

Date first authorised: 01/04/2016

England Status: Authorised (Footnote 3)

Wales Status: Authorised (SI 2016 No. 812)

Scotland Status: Authorised (Footnote 5)

N. Ireland Status: No

CPL Restaurant Grade Charcoal

Manufacturer: Kunfayakun Global Treasures Limited (KGT) at Kunfayakun Stores, No.1, Aranse Street, Station, Sagamu, Orgub State E17, Shagamu International Market, Nigeria, Nigeria

- a. Comprises pyrolised Anogeissus Leiocarpus, Burkea Africana, Distemonanthus Benthamianus and Viteloria Paracloxum
- b. Was manufactured using a kiln pyrolysis process at approximately 450°C to 550°C
- c. Are unmarked charcoal pieces of between 50-180 mm
- d. Has a sulphur content not exceeding 1.9% of the total weight on a dry basis

Date first authorised: 01/10/2015

England Status: Authorised (Footnote 3)

Wales Status: Authorised (SI 2016 No. 812)

Scotland Status: Authorised (Footnote 5)

N. Ireland Status: Authorised (SRNI 2015 No. 367)

Direct Charcoal Blue Bag Premium Grade Restaurant Charcoal

Manufacturer: Direct Charcoal at Ekamanzi Road, Dalton, KwaZulu Natal, South Africa, South Africa

- a. comprises pyrolised Acacia Mercii wood
- b. was manufactured using a kiln pyrolysis process at approximately 420 to 480°C
- c. are unmarked charcoal pieces that are between 30 to 150 mms in length, 30 to 150 mm in width and 30 to 150 mm in height
- d. has a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2014 No. 249)

Direct Charcoal Blue Bag Restaurant Charcoal

Manufacturer: Direct Charcoal Limited at Ruta 25, km. 9,5 –Pilar (cp.1629) Buenos Aires, Argentina , Argentina

- a. comprises pyrolised white Quebracho and Guayacan wood
- b. was manufactured using a kiln pyrolysis process at approximately 420 to 480 °C
- c. are unmarked charcoal pieces that are between 30 millimetres to 150 millimetres in length, 30 millimetres to 150 millimetres in width and 30 millimetres to 150 millimetres in height
- d. has a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2014 No. 249)

Dragonbrite briquettes

Manufacturer: Tower Colliery Limited at Aberdare, Mid Glamorgan, South Wales

- a. comprise tower duff (as to approximately 95% of the total weight) and a resin based binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving cold cure roll pressing
- c. are pillow-shaped briquettes marked with the letter "T" on one side
- d. have an average weight of 50 grams per briquette
- e. have a sulphur content not exceeding 1% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Dragonglow briquettes

Manufacturer: Tower Colliery Limited at Aberdare, Mid Glamorgan, South Wales

- a. comprise tower duff (as to approximately 95% of the total weight) and a resin based binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving cold cure roll pressing
- c. are unmarked pillow-shape briquettes
- d. have an average weight of 100 grams per briquette
- e. have a sulphur content not exceeding 1% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Duraflame Firelogs

Manufacturer: Paramelt BV of Costerstraat 18, PO Box 86, 1700 AB Heerhugowaard, the Netherlands

- a. comprise mineral-based petroleum wax (as to approximately 55% of the total weight) and ground hardwood fibre (as to approximately 45% of the total weight)
- b. were manufactured from those constituents by a process of heat treatment and extrusion
- c. are firelogs that are approximately 320 millimetres in length, 85 millimetres in width and 90 millimetres in height
- d. have an average weight of 1.45 kilograms per firelog
- e. have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Ecoal 50 briquettes

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite fines (as to approximately 30 to 55% of the total weight), biomass (as to approximately 25 to 35% of the total weight), petroleum coke (as to approximately 10 to 40% of the total weight), bituminous coal (as to approximately 0 to 5% of the total weight) and natural organic binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing followed by heat treatment at a temperature of approximately 300°C in a controlled, reduced oxygen environment
- c. are hexagonal-shaped briquettes with a single stripe on one side across the flats
- d. have an average weight of 135 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Ecoal briquettes (also marketed as Homefire Ecoal briquettes and Supertherm 30)

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite fines (as to approximately 40 to 65% of the total weight), petroleum coke (as to approximately 20 to 40% of the total weight), bituminous coal (as to approximately 0 to 20% of the total weight), biomass (as to approximately 5 to 20% of the total weight), biomass char (as to approximately 0 to 10% of the total weight) and molasses and phosphoric acid as binder (as to a maximum of 20% of the total weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at approximately 300°C
- c. are unmarked pillow shaped briquettes that are typically 72mm in length, 58mm in width and 42mm in height or are unmarked hexagonal briquettes that are typically 70mm in length, 73mm in width and 39mm in height
- d. have an average weight of 125 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: 01/10/2015

Ecobrite briquettes

Manufacturer: Arigna Fuels Limited at Arigna, Carrick-on-Shannon, County Roscommon, Republic of Ireland, Ireland

- a. comprise anthracite fines (as to approximately 96% of the total weight) and starch as binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 250°C
- c. are unmarked pillow-shaped briquettes in two sizes
- d. have an average weight per briquette of 37 grams in the case of the smaller size and 48 grams in the case of the larger size
- e. have a sulphur content not exceeding 1.5% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

EDF fuel briquettes

Manufacturer: The Green Factory at the Laboratoire de Chimie Agro-industrielle UMR 1010 INRA/INP-ENSIACET AGROMAT, Site de l'ENIT 47, Avenue D'Azereiz, -BP 1629 65016 Tarbes Cedex, France, France

- a. comprise approximately 100 grams of unprocessed Miscanthus (as to approximately 45% of the total weight), approximately 95 grams of Copra ester (as to approximately 43% of the total weight) and approximately 25 grams of a binder produced from Miscanthus (processed with calcium oxide as to approximately 0.5% of the total weight) as to the remaining weight
- b. are manufactured from those constituents by a process involving Miscanthus processing, mixing, hot pressing and soaking in an ester bath
- c. are unmarked cylinder shaped briquettes that are 120 millimetres in height and 60 millimetres in diameter, with a star shaped hole running centrally through the longer length of the briquette
- d. have an average weight of 220 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15

England Status: Authorised (Footnote 3)
Wales Status: Authorised (SI 2016 No. 812)
Scotland Status: Authorised (Footnote 5)
N. Ireland Status: Authorised (SRNI 2015 No. 367)

of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)
Wales Status: Authorised (SI 2015 No. 1517)
Scotland Status: Authorised (Footnote 4)
N. Ireland Status: Authorised (SRNI 2013 No. 205)

Excel+ briquettes

Manufacturer: Oxbow Coal B.V. at Newfield works, Bishop Auckland, County Durham

- a. comprise 65% to 70% petroleum coke and 25% anthracite (both by weight) together with a cold setting resin binder, hardener and low temperature stabiliser as to the remaining weight
- b. are produced at ambient temperature by a process involving roll-pressing and cold curing
- c. are unmarked square pillow shaped briquettes
- d. have an average weight per briquette of 100 grams
- e. have a sulphur content not exceeding 1.9% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Extracite briquettes

Manufacturer: Sophia-Jacoba Handelsgesellschaft mbH at Hückelhoven, Germany, Germany

- a. comprise anthracite duff (as to approximately 95.5% of the total weight) and ammonium lignosulphonate lye as binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 260°C
- c. are cushion-shaped briquettes with a silvery appearance and are marked with the letters "S" and "J"
- d. have an average weight of 40 grams per briquette
- e. have a sulphur content of approximately 1.2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Fireglo briquettes

Manufacturer: Les Combustibles de Normandie at Caen, France, and by La Société Rouennaise de Defumage at Rouen, France, France

- a. comprise washed Welsh duffs (as to approximately 92% of the total weight) and coal pitch binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 330°C
- c. are ovoids which have three lines on one side and are smooth on the other side
- d. have an average weight of 30 grams per briquette
- e. have a sulphur content not exceeding 0.8% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Firegold briquettes

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite (as to approximately 36 to 51% of the total weight), petroleum coke (as to approximately 40 to 55% of the total weight) and an organic binder or a molasses and phosphoric acid binder (as to a maximum of 20% of the total weight)
- b. were manufactured from those constituents by a process involving roll-pressing
- c. are unmarked pillow shaped briquettes that are typically 54mm in length, 58mm in width and 34mm in height
- d. have an average weight of 87 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight on a dry basis.

Date first authorised: 01/10/2015

England Status: Authorised (Footnote 3)

Wales Status: Authorised (SI 2016 No. 812)

Scotland Status: Authorised (Footnote 5)

N. Ireland Status: Authorised (SRNI 2015 No. 367)

G N Grosvenor (Fuel Express) Restaurant Charcoal

Manufacturer: Pabensa S.A. Aviadores del Chaco Asunción Paraguay, Paraguay

- Comprises pyrolised Prosopis Nigra, Cordia Alliodora, Centrolobium, Prosopis kuntzei, Caesalpinia, Gonçalo alves and Tabebuia hardwoods
- Was manufactured using a kiln pyrolysis process at approximately 800°C
- Are unmarked charcoal pieces of between 20-120 millimetres
- Has a sulphur content not exceeding 2% of the total weight on a dry basis

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2014 No. 249)

Gardeco Fire Log

Manufacturer: Top Flames Europe BV, Rustenburgerweg 3, 1646 WJ Ursem Gem , Alkmaar, The Netherlands

- comprise 29% paraffin wax, 20% plant derived wax, 17% 6mm diameter wood pellets and 34% sawdust (by weight)
- were manufactured from those constituents by a process of mixing and extruding
- are firelogs that are approximately 237 millimetres in length and 75 millimetres in depth, 75 millimetres in height with 6 grooves
- have an average weight of 1.1 kilograms per firelog
- have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: 01/11/2016

England Status: Authorised (Footnote 3)

Wales Status: No

Scotland Status: Authorised (Footnote 5)

N. Ireland Status: No

Homefire briquettes

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- comprise anthracite fines (as to approximately 40 to 70% of the total weight), petroleum coke (as to approximately 20 to 45% of the total weight), char (as to approximately 0 to 10% of the total weight), bituminous coal (as to approximately 5 to 30% of the total weight) and an organic binder or a molasses and phosphoric acid binder (as to the remaining weight)
- were manufactured from those constituents by a process involving roll-pressing
- have a volatile matter content in the finished briquette of neither less than 9 nor more than 15% of the total weight on a dry basis
- are unmarked hexagonal briquettes
- have an average weight of 140 grams per briquette
- have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Homefire Fire Log

Manufacturer: Top Flames Europe BV, Rustenburgerweg 3, 1646 WJ Ursem Gem , Alkmaar, The Netherlands

- comprise 29% paraffin wax, 20% plant derived wax, 17% 6mm diameter wood pellets and 34% sawdust (by weight)
- were manufactured from those constituents by a process of mixing and extruding
- are firelogs that are approximately 215 millimetres in length and 75 millimetres in depth, 75 millimetres in height with 6 grooves
- have an average weight of 1 kilograms per firelog
- have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: 01/11/2016

England Status: Authorised (Footnote 3)

Wales Status: No

Scotland Status: Authorised (Footnote 5)

N. Ireland Status: No

Homefire Fire Logs

Manufacturer: De Lange BV of Rustenburgerweg 3, 1646 WJ Ursem, the Netherlands

- a. comprise slackwax (as to approximately 50% of the total weight) and sawdust (as to approximately 50% of the total weight)
- b. were manufactured from those constituents by a process of heat treatment and extrusion
- c. are firelogs that are approximately 280 millimetres in length, 75 millimetres in width and 75 millimetres in height, with a single groove running along each of the four 280 millimetre length faces
- d. have an average weight of 1.1 kilograms per firelog
- e. have a sulphur content not exceeding 0.2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Homefire Ovals

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite duff (as to approximately 57% of the total weight), petroleum coke (as to approximately 17% of the total weight), bituminous coal (as to approximately 13% of the total weight) and molasses and phosphoric acid as binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C
- c. are pillow-shaped briquettes with two parallel indented lines running latitudinally around the briquette
- d. have an average weight of 135 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

Homefire Ovals ®

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite fines (as to approximately 50 to 75% of the total weight), petroleum coke (as to approximately 20 to 45% of the total weight), bituminous coal (as to approximately 5 to 17% of the total weight) and an organic binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing
- c. are pillow-shaped briquettes with two parallel indented lines running latitudinally around the briquette
- d. have an average weight of 130 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Hot Drops

Manufacturer: EU Zeme Limited at Riga, Eksporta Street 15, LV-1045, Latvia

- a. comprise crushed anthracite (as to approximately 73% of the total weight), bituminous coal (as to approximately 18% of the total weight) and a molasses and orthophosphoric acid binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing followed by heat treatment at a temperature of approximately 250 to 280°C
- c. are almost round pillow-shaped briquettes that are 40 millimetres in diameter and about 21 millimetres thick at the centre of the briquette
- d. have an average weight of 23 grams per briquette
- e. have a sulphur content not exceeding 0.5% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Hot Rocks

Manufacturer: EU Zeme Limited at Riga, Eksporta Street 15, LV-1045, Latvia

- a. comprise crushed anthracite (as to approximately 73% of the total weight), bituminous coal (as to approximately 18% of the total weight) and a molasses and orthophosphoric acid binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing followed by heat treatment at a temperature of approximately 250 to 280°C
- c. are almost round pillow-shaped briquettes that are 40 millimetres in diameter and about 21 millimetres thick at the centre of the briquette
- d. have an average weight of 23 grams per briquette
- e. have a sulphur content not exceeding 0.5% of the total weight.

Date first authorised: 01/07/2016

England Status: Authorised (Footnote 3)

Wales Status: No

Scotland Status: Authorised (Footnote 5)

N. Ireland Status: No

HouseFuel Smokeless Ovals

Manufacturer: Maxibrite Limited at Llantrisant, Rhondda Cynon Taf, South Wales

- a. comprise anthracite fines (as to approximately 84% of the total weight), petroleum coke (as to approximately 12% of the total weight) and starch as binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 260°C
- c. are unmarked pillow-shaped briquettes
- d. have an average weight of 78 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Inherently smokeless fuels (a) anthracite;(b) semi-anthracite;(c) electricity; and (d) gas;(e) low volatile steam coals

Manufacturer: Generic Authorisation

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Island Lump and Island Nuts

Manufacturer: Unocal Refinery of California, the United States of America, United States

- a. comprise petroleum coke
- b. were manufactured from the petroleum coke by a process involving heat treatment and steam injection
- c. are unmarked random shapes
- d. have an average weight of 80 grams (per briquette of Island Lump) or 30 grams (per briquette of Island Nuts)
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Jewel briquettes

Manufacturer: Eldon Colliery Limited at Newfield Works, Bishop Auckland, County Durham

- a. comprise anthracite (as to approximately 30 to 50% of the total weight), Long Beach petroleum coke (as to approximately 50 to 70% of the total weight) and a carbohydrate binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 150°C
- c. are unmarked pillow-shaped briquettes
- d. have an average weight of 33 grams per briquette
- e. have a sulphur content not exceeding 1.5% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

La Hacienda Easy Logs

Manufacturer: Allspan BV of Macroweg 4, 5804 CL Venray, the Netherlands

- a. comprise slack wax (as to approximately 58 to 59% of the total weight) and hardwood sawdust (as to approximately 41 to 42% of the total weight)
- b. were manufactured from those constituents by a process of heat treatment and extrusion
- c. are firelogs that are approximately 235 millimetres in length and 80 millimetres in depth, with grooves along their faces
- d. have an average weight of 1.1 kilograms per firelog
- e. have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

La Hacienda Fire Log

Manufacturer: Top Flames Europe BV, Rustenburgerweg 3, 1646 WJ Ursem Gem, Alkmaar, The Netherlands

- a. comprise 29% paraffin wax, 20% plant derived wax, 17% 6mm diameter wood pellets and 34% sawdust (by weight)
- b. were manufactured from those constituents by a process of mixing and extruding
- c. are firelogs that are approximately 237 millimetres in length and 75 millimetres in depth, 75 millimetres in height with 6 grooves
- d. have an average weight of 1.1 kilograms per firelog
- e. have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: 01/11/2016

England Status: Authorised (Footnote 3)

Wales Status: No

Scotland Status: Authorised (Footnote 5)

N. Ireland Status: No

Long Beach Lump nuts (otherwise known as LBL nuts)

Manufacturer: Aimcor Carbon Corporation at Long Beach, California, the United States of America, or manufactured by Oxbow Carbon & Minerals LLC, 330 Golden Shore, Suite 210, Long Beach, California 90802, the United States of America, United States

- a. comprise petroleum coke (as to approximately 85 to 100% of the total weight), limestone (as to approximately 0 to 10% of the total weight) and coal tar pitch (as to the remaining weight)
- b. were manufactured from those constituents by a process involving heat treatment and steam injection
- c. are unmarked random shapes
- d. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Maxibrite briquettes

Manufacturer: Maxibrite Limited at Llantrisant, Rhondda Cynon Taf, South Wales

- a. comprise anthracite fines (as to approximately 84% of the total weight), petroleum coke (as to approximately 12% of the total weight) and starch as binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at 250°C
- c. are cushion-shaped briquettes marked with the letter "M"
- d. have an average weight of 35 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Multiheat briquettes

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite (as to approximately 60 to 80% of the total weight), petroleum coke (as to approximately 10 to 30% of the total weight) and a molasses and phosphoric acid binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C
- c. are unmarked pillow-shaped briquettes
- d. have average weights per briquette of either 55 or 80 grams
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Newburn briquettes

Manufacturer: ECL Mineral Processing Limited of Newfield Works, Newfield, Bishop Auckland, County Durham

- a. comprise petroleum coke (as to approximately 56 to 57% of the total weight), anthracite (as to approximately 37 to 38% of the total weight), and a dry powder binder (as to the remaining weight)
- b. were manufactured from those constituents by a cold cure process using a roller press
- c. are unmarked pillow-shaped briquettes that are 70 millimetres in length, 62 millimetres in width and 42 millimetres in height
- d. have an average weight of 110 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Newburn briquettes (also marketed as HouseFuel Burnrite)

Manufacturer: M&G Solid Fuels LLP, Wilton International, Wilton, Middlesbrough, TS90 8WS

- a. Comprise petroleum coke (as to approximately 56 to 57 per cent of the total weight), anthracite (as to approximately 37 to 38 per cent of the total weight), and a dry powder binder (as to the remaining weight)
- b. Were manufactured from those constituents by a cold cure process using roller press
- c. Are Unmarked pillow shape briquette 70mm x 62mm x 42mm
- d. Have an average weight of 110 grams per briquette
- e. Have a sulphur content not exceeding 2 per cent of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2014 No. 249)

Newflame briquettes

Manufacturer: Maxibrite Limited at Llantrisant, Rhondda Cynon Taf, South Wales

- a. comprise anthracite fines (as to approximately 84% of the total weight), petroleum coke (as to approximately 12% of the total weight) and starch as binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 260°C
- c. are unmarked pillow-shaped briquettes
- d. have an average weight of 78 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Newflame Plus briquettes

Manufacturer: Maxibrite Limited at Mwyndy Industrial Estate, Llantrisant, Mid Glamorgan, South Wales

- a. comprise bituminous coal and petroleum coke (each as to approximately 10 to 15% of the total weight) and anthracite duff and starch binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving a roll-pressing and heat treatment at about 260°C
- c. are unmarked pillow-shaped briquettes that are approximately 68 millimetres in length, 63 millimetres in width and 38 millimetres in height
- d. have an average weight of 110 grams per briquette
- e. have a sulphur content not exceeding 1.9% on a dry basis.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Newheat briquettes

Manufacturer: Oxbow Coal B.V. at Newfield works, Bishop Auckland, County Durham

- a. comprise petroleum coke (as to approximately 60 to 65% of the total weight) and anthracite (as to approximately 30 to 35% of the total weight) together with a cold setting resin binder, hardener and low temperature stabiliser (as to the remaining weight)
- b. are produced at ambient temperature by a process involving roll-pressing and cold curing
- c. are unmarked pillow-shaped oval briquettes
- d. have an average weight of 100 grams per briquette
- e. have a sulphur content not exceeding 1.9% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Optima Fire Logs

Manufacturer: Allspan BV of Macroweg 4, 5804 CL Venray, the Netherlands

- a. comprise slack wax (as to approximately 58 to 59% of the total weight) and hardwood sawdust (as to approximately 41 to 42% of the total weight)
- b. were manufactured from those constituents by a process of heat treatment and extrusion
- c. are firelogs that are approximately 235 millimetres in length and 80 millimetres in depth, with grooves along their faces
- d. have an average weight of 1.1 kilograms per firelog
- e. have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Pagan Fuels Restaurant Charcoal

Manufacturer: Pabensa S.A. Aviadores del Chaco Asunción Paraguay, Paraguay

- Comprises pyrolised Prosopis Nigra, Cordia Alliodora, Centrolobium, Prosopis kuntzei, Caesalpinia, Gonçalo alves and Tabebuia hardwoods
- Was manufactured using a kiln pyrolysis process at approximately 800°C
- Are unmarked charcoal pieces of between 20-120 millimetres
- Has a sulphur content not exceeding 2% of the total weight on a dry basis

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2014 No. 249)

Phurnacite briquettes

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- comprise anthracite duff (as to approximately 65 to 85% of the total weight), petroleum coke (as to approximately 20% of the total weight) and a molasses and phosphoric acid binder (as to the remaining weight)
- were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C
- are ovoid-shaped briquettes with two parallel indented lines running longitudinally around the briquette
- have an average weight of 40 grams per briquette
- have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Pyrobloc Fire Logs

Manufacturer: Allspan BV of Macroweg 4, 5804 CL Venray, the Netherlands

- comprise slack wax (as to approximately 58 to 59% of the total weight) and hardwood sawdust (as to approximately 41 to 42% of the total weight)
- were manufactured from those constituents by a process of heat treatment and extrusion
- are firelogs that are approximately 265 millimetres in length and 80 millimetres in depth, with grooves along their faces
- have an average weight of 1.3 kilograms per firelog
- have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Red Drops

Manufacturer: EU Zeme Limited, Lāčplēša street 48, Rīga, LV-1011, Latvia

- comprise crushed anthracite (as to approximately 73% of the total weight), bituminous coal (as to approximately 18% of the total weight) and a molasses and orthophosphoric acid binder (as to the remaining weight)
- were manufactured from those constituents by a process involving roll-pressing followed by heat treatment at a temperature of approximately 250 to 280°C
- are almost round pillow-shaped briquettes that are 40 millimetres in diameter and about 21 millimetres thick at the centre of the briquette
- have an average weight of 23 grams per briquette
- have a sulphur content not exceeding 0.5% of the total weight.

Date first authorised: 01/07/2016

England Status: Authorised (Footnote 3)

Wales Status: No

Scotland Status: Authorised (Footnote 5)

N. Ireland Status: No

Safelight Firelogs

Manufacturer: Advanced Natural Fuels Limited at Pocklington, East Riding of Yorkshire

- a. comprise woodchip (as to approximately 40 to 55% of the total weight) and Palm Wax binder (as to approximately 45 to 60% of the total weight)
- b. were manufactured from those constituents by a process involving pressing of the mixed ingredients at about 40°C to 50°C
- c. are rectangular hard finish firelogs with two deep overlapping slots in the top surface and a single continuous slot in the base surface
- d. have an average weight of 1.8 kilograms per firelog
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Sovereign briquettes

Manufacturer: Monckton Coke & Chemical Company Limited at Royston, near Barnsley, South Yorkshire

- a. comprise anthracite (as to approximately 75% of the total weight), coal and reactive coke (as to approximately 21% of the total weight) and cold-setting resin binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving extrusion
- c. are unmarked hexagonal briquettes
- d. have an average weight of 130 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Supabrite Coke Doubles

Manufacturer: HJ Banks and Company Limited at Inkerman Road Depot, Tow Law, County Durham

- a. comprise metallurgical coke (as to approximately 40 to 60% of the total weight) and petroleum coke (as to the remaining weight)
- b. were manufactured from those constituents by a process involving blending and screening
- c. are unmarked random shapes
- d. have a sulphur content not exceeding 1.95% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Supacite briquettes

Manufacturer: Maxibrite Limited at Llantrisant, Rhondda Cynon Taf, South Wales

- a. comprise anthracite fines (as to approximately 84% of the total weight), petroleum coke (as to approximately 12% of the total weight) and starch as binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 240°C
- c. are unmarked ovoids
- d. have an average weight of 45 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Supertherm briquettes

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise a blend (in the proportion of 19:1 by weight) of anthracite and medium volatile coal (as to approximately 93% of the total weight) and cold-setting organic binder or a molasses and phosphoric acid binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing
- c. are unmarked ovoids
- d. have an average weight of 160 grams per briquette
- e. have a sulphur content not exceeding 1.5% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Supertherm II briquettes

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite (as to approximately 36 to 51% of the total weight), petroleum coke (as to approximately 40 to 55% of the total weight) and an organic binder or a molasses and phosphoric acid binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing
- c. are ovoids marked with a single latitudinal line running across one face of each briquette or unmarked ovoids
- d. have an average weight of 140 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight on a dry basis.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2014 No. 249)

Taybrite briquettes (otherwise known as Surefire briquettes)

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite (as to approximately 60 to 80% of the total weight), petroleum coke (as to approximately 10 to 30% of the total weight) and a molasses and phosphoric acid binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C
- c. are pillow-shaped briquettes marked with a single indented line running longitudinally along each face, off-set from its counterpart by 10 millimetres or unmarked
- d. have an average weight of 80 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Therma Briquettes

Manufacturer: Maxibrite Limited at Llantrisant, Rhondda Cynon Taf, South Wales

- a. comprise anthracite fines (as to approximately 84% of the total weight), petroleum coke (as to approximately 12% of the total weight) and starch as binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing and heat treatment at 250°C
- c. are oval or tear shaped briquettes with a line through the centre
- d. have an average weight of 26 grams per briquette
- e. have a sulphur content not exceeding 2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

Thermac briquettes

Manufacturer: Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire

- a. comprise anthracite (as to approximately 90% of the total weight) and cold-setting organic binder (as to the remaining weight)
- b. were manufactured from those constituents by a process involving roll-pressing
- c. are unmarked pillow-shaped briquettes
- d. have an average weight of 48 grams per briquette
- e. have a sulphur content not exceeding 1.5% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Tiger Tim Firelogs

Manufacturer: De Lange BV of Rustenburgerweg 3, 1646 WJ Ursem, the Netherlands

- a. comprise slackwax (as to approximately 50% of the total weight) and sawdust (as to approximately 50% of the total weight)
- b. were manufactured from those constituents by a process of heat treatment and extrusion
- c. are firelogs that are approximately 280 millimetres in length, 75 millimetres in width and 75 millimetres in height, with a single groove running along each of the four 280 millimetre length faces
- d. have an average weight of 1.1 kilograms per firelog
- e. have a sulphur content not exceeding 0.2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Unicite

Manufacturer: DJ Davies Fuels Ltd at Blaenau Fuel Depot, Ammanford, Carmarthenshire, or manufactured by AI Simson at Cabby Latch, Logie by Kirriemuir, Angus

- a. is a mixture of the following separate fuels—
 - (i)anthracite large nuts, and(ii)Union briquettes of the description in sub-paragraph (c) manufactured by RWE Power A.G. at Cologne, Germany (as to no more than approximately 40 to 42% of Unicite’s total weight)
- b. has an overall sulphur content not exceeding 0.5% of the total weight; and(c)in so far as it is constituted by the Union briquettes referred to in sub-paragraph (a) (ii), consists of compressed lignite with each briquette measuring approximately 75 millime

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

ZIP 100% Natural Firelog

Manufacturer: Standard Brands (Trading) Ireland Ltd at Castlebellingham, County Louth, Ireland, Ireland

- a. comprise naturally derived hydrogenated triglyceride waxes (as to approximately 53 to 57% of the total weight), willow fibre (as to approximately 23 to 27% of the total weight) and natural molasses based binder (as to the remaining weight)
- b. were manufactured from those constituents by a process of heat treatment and extrusion
- c. are firelogs that are approximately 210 millimetres in length, 80 millimetres in width and 75 millimetres in height
- d. have an average weight of between 1.085 and 1.115 kilograms per firelog
- e. have a sulphur content not exceeding 0.2 per cent of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

ZIP 100% Natural Firelogs

Manufacturer: Standard Brands (Trading) Ireland Ltd at Castlebellingham, County Louth, Ireland, Ireland

- a. comprise naturally derived hydrogenated triglyceride waxes (as to approximately 53 to 57% of the total weight), willow fibre (as to approximately 23 to 27% of the total weight) and natural molasses based binder (as to the remaining weight)
- b. were manufactured from those constituents by a process of heat treatment and extrusion
- c. are firelogs approximately 245 millimetres in length, 75 millimetres in width and 68 millimetres in height
- d. have an average weight of between 0.985 and 1.015 kilograms per firelog
- e. have a sulphur content not exceeding 0.2 per cent of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

ZIP 100% Natural Stove Log

Manufacturer: Standard Brands (Trading) Ireland Ltd at Castlebellingham, County Louth, Ireland, Ireland

- a. comprise naturally derived hydrogenated triglyceride waxes (as to approximately 53 to 57% of the total weight), willow fibre (as to approximately 23 to 27% of the total weight) and natural molasses-based binder (as to the remaining weight)
- b. were manufactured from those constituents by a process of heat treatment and extrusion
- c. are firelogs that are approximately 165 millimetres in length, 80 millimetres in width and 75 millimetres in height
- d. have an average weight of between 0.835 and 0.865 kilograms per firelog
- e. have a sulphur content not exceeding 0.2% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

ZIP Cracklelog firelogs, ZIP Crackle-log firelogs and ZIP Cracking Log firelogs

Manufacturer: Allspan BV of Macroweg 4, 5804 CL Venray, the Netherlands

- a. comprise slack wax (as to approximately 55% of the total weight), hardwood sawdust (as to approximately 42% of the total weight) and crackle seeds (as to approximately 3.2% of the total weight)
- b. were manufactured from those constituents by a process of heat treatment and extrusion
- c. are firelogs that are approximately 235 millimetres in length and 80 millimetres in diameter, with grooves along the faces
- d. have an average weight of 1.1 kilograms per firelog
- e. have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

ZIP Firelogs

Manufacturer: Allspan BV of Macroweg 4, 5804 CL Venray, the Netherlands

- a. comprise slack wax (as to approximately 58 to 59% of the total weight) and hardwood sawdust (as to approximately 41 to 42% of the total weight)
- b. were manufactured from those constituents by a process of heat treatment and extrusion
- c. are firelogs that are approximately 265 millimetres in length and 80 millimetres in depth, with grooves along the faces
- d. have an average weight of 1.3 kilograms per firelog
- e. have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)

Zip Firelogs

Manufacturer: Allspan BV of Macroweg 4, 5804 CL Venray, the Netherlands

- a. comprise slack wax (as to approximately 58 to 59% of the total weight) and hardwood sawdust (as to approximately 41 to 42% of the total weight)
- b. were manufactured from those constituents by a process of heat treatment and extrusion
- c. are firelogs that are approximately 235 millimetres in length and 80 millimetres in depth, with grooves along their faces
- d. have an average weight of 1.1 kilograms per firelog
- e. have a sulphur content not exceeding 0.1% of the total weight.

Date first authorised: Previously authorised by The Smoke Control Areas (Authorised Fuels) (England) (No. 2) Regulations 2014 (SI 2014/2366), no longer in force as of 1 October 2015. Now authorised by publication of this list by the Secretary of State in accordance with changes made to sections 20 and 21 of the Clean Air Act 1993 by section 15 of the Deregulation Act 2015.

England Status: Authorised (Footnote 2)

Wales Status: Authorised (SI 2015 No. 1517)

Scotland Status: Authorised (Footnote 4)

N. Ireland Status: Authorised (SRNI 2013 No. 205)